Sample Exam – Answers

Sample Exam set A Version 2.0

ISTQB® Test Automation Engineering Advanced Level

Compatible with Syllabus version 2.0

International Software Testing Qualifications Board



v2.0 2024/05/03



Copyright Notice

Copyright Notice © International Software Testing Qualifications Board (hereinafter called ISTQB®).

ISTQB® is a registered trademark of the International Software Testing Qualifications Board.

All rights reserved.

The authors hereby transfer the copyright to the ISTQB[®]. The authors (as current copyright holders) and ISTQB[®] (as the future copyright holder) have agreed to the following conditions of use:

Extracts, for non-commercial use, from this document may be copied if the source is acknowledged.

Any Accredited Training Provider may use this sample exam in their training course if the authors and the ISTQB® are acknowledged as the source and copyright owners of the sample exam and provided that any advertisement of such a training course is done only after official Accreditation of the training materials has been received from an ISTQB®-recognized Member Board.

Any individual or group of individuals may use this sample exam in articles and books, if the authors and the ISTQB® are acknowledged as the source and copyright owners of the sample exam.

Any other use of this sample exam is prohibited without first obtaining the approval in writing of the ISTQB[®].

Any ISTQB®-recognized Member Board may translate this sample exam provided they reproduce the abovementioned Copyright Notice in the translated version of the sample exam.

Document Responsibility

The ISTQB® Examination Working Group is responsible for this document.

This document is maintained by a core team from ISTQB® consisting of the Syllabus Working Group and Exam Working Group.

Acknowledgements

This document was produced by a core team from the ISTQB®: Andrew Pollner (chair), Péter Földházi, Patrick Quilter, and Gergely Ágnecz.

The core team thanks the Exam Working Group review team, the Syllabus Working Group and Member Boards for their suggestions and input.

The technical review was performed by Judy McKay and Gary Mogyorodi.

Advanced Level Test Automation Engineering (TAE) Sample Exam set A Sample Exam – Questions



Revision History

Version	Date	Remarks
v2.0	2024/05/03	GA Release



Table of Contents

Copyright Notice	
Revision History	3
Table of Contents	
Introduction	5
Purpose of this document	
Instructions	
Answers	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	21
30	
31	
32	
33	23
34	
35	24
36	25
37	
38	26
39	27
40	27



Introduction

Purpose of this document

The example questions and answers and associated justifications in this sample exam have been created by a team of subject matter experts and experienced question writers with the aim of:

- Assisting ISTQB® Member Boards and Exam Boards in their question writing activities
- Providing training providers and exam candidates with examples of exam questions

These questions cannot be used as-is in any official examination.

Note, that real exams may include a wide variety of questions, and this sample exam *is not* intended to include examples of all possible question types, styles or lengths, also this sample exam may both be more difficult or less difficult than any official exam.

Instructions

In this document you may find:

- Answer Key table, including for each correct answer:
 - K-level, Learning Objective, and Point value
- Answer sets, including for all questions:
 - Correct answer
 - Justification for each response (answer) option
 - K-level, Learning Objective, and Point value
- Additional answer sets, including for all questions [does not apply to all sample exams]:
 - Correct answer
 - Justification for each response (answer) option
 - K-level, Learning Objective, and Point value
- Questions are contained in a separate document



Answer Key

Question Number (#)	Correct Answer	LO	K-Level	Points
1	d	TAE-1.1.1	K2	1
2	b	TAE-1.2.1	K2	1
3	d	TAE-1.2.2	K2	1
4	b	TAE-2.1.1	K2	1
5	b	TAE-2.1.2	K2	1
6	d	TAE-2.1.2	K2	1
7	a, d	TAE-2.2.1	K4	3
8	С	TAE-2.2.2	K4	3
9	С	TAE-3.1.1	K2	1
10	b	TAE-3.1.2	K2	1
11	d	TAE-3.1.3	K3	2
12	С	TAE-3.1.4	K3	2
13	а	TAE-3.1.4	K3	2
14	b	TAE-3.1.5	K3	2
15	d	TAE-4.1.1	K3	2
16	С	TAE-4.2.1	K4	3
17	С	TAE-4.3.1	K2	1
18	С	TAE-4.3.1	K2	1
19	a, d	TAE-5.1.1	K3	2
20	С	TAE-5.1.1	K3	2

Question Number (#)	Correct Answer	LO	K-Level	Points
21	а	TAE-5.1.2	K2	1
22	d	TAE-5.1.2	K2	1
23	d	TAE-5.1.3	K2	1
24	b	TAE-5.1.3	K2	1
25	a, d	TAE-6.1.1	K3	2
26	b	TAE-6.1.1	K3	2
27	С	TAE-6.1.2	K4	3
28	d	TAE-6.1.3	K2	1
29	а	TAE-7.1.1	K3	2
30	a, c	TAE-7.1.1	K3	2
31	С	TAE-7.1.2	K2	1
32	С	TAE-7.1.2	K2	1
33	а	TAE-7.1.3	K2	1
34	d	TAE-7.1.4	K2	1
35	d	TAE-8.1.1	K3	2
36	b	TAE-8.1.1	K3	2
37	a, e	TAE-8.1.2	K4	3
38	b	TAE-8.1.2	K4	3
39	С	TAE-8.1.3	K3	2
40	а	TAE-8.1.4	K2	1



Answers

Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
1	d	 a) Is not correct. Test automation can be used for usability testing effectively. b) Is not correct. Test automation can be performed at each test level. c) Is not correct. Test automation is generally not effective to visually evaluate the test results. d) Is correct. See Chapter 1.1.1 of the syllabus. 	TAE-1.1.1	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
2	b	 a) Is not correct. In Agile software development, based on the test pyramid, automated component tests are higher in volume compared to automated acceptance tests. b) Is correct. In Agile software development, based on the test pyramid, automated component tests are higher in volume compared to automated acceptance tests. c) Is not correct. There is no such rule in the V-model. d) Is not correct. V-model test planning, including planning of test automation, is performed in the early phase of the software development lifecycle. 	TAE-1.2.1	K2	1
3	d	 a) Is not correct. The SUT architecture should be considered. e) Is not correct. The actual composition and experience of the test team needs to be evaluated. f) Is not correct. It is necessary to have knowledge about the licensing and support of the tool. g) Is correct. It is not required to apply only one test tool for test automation. 	TAE-1.2.2	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
4	b	 a) Is not correct. Observability means to give insight into the system. b) Is correct. See Chapter 2.1.1 of the syllabus. c) Is not correct. Maintainability is a quality characteristic. h) Is not correct. Interoperability is also a quality characteristic. 	TAE-2.1.1	K2	1
5	b	 a) Is not correct. Component testing is performed in a build and development environment. d) Is correct. It is necessary to perform performance efficiency testing and user acceptance testing in a preproduction environment to test real world scenarios. e) Is not correct. Smoke testing can be performed in any test environment. f) Is not correct. Tests in a preproduction environment assess components availability in the development environment. 	TAE-2.1.2	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
6	d	a) Is not correct. Preproduction or staging environment testing has less focus on functional aspects.	TAE-2.1.2	K2	1
		b) Is not correct. A build environment is not ready for more robust test execution.			
		c) Is not correct. Full functional test suites are not typically executed against products in production.			
		 d) Is correct. Robust user interface (UI), and application programming interface (API) test suites are typically executed against fully integrated systems. 			
7	a, d	a) Is correct. Component testing is performed by the developing IT company.	TAE-2.2.1	K4	3
		b) Is not correct. Beta testing is not performed.			
		c) Is not correct. The testing of as many different types of cars as possible is performed by the integrator IT company.			
		d) Is correct. Automated component tests are designed and executed by the developers.			
		e) Is not correct. The test automation approach to support the mobile application store approval is not performed.			



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
8	С	 a) Is not correct. The test environment is valid according to the release notes. b) Is not correct. The test logging component is essential for troubleshooting. c) Is correct. The tool does not meet selection requirements. d) Is not correct. It is completely wrong to migrate the SUT. 	TAE-2.2.2	K4	3
9	С	 a) Is not correct. This is a principle that supports easy maintenance. b) Is not correct. This is the open-closed principle. c) Is correct. This is not a principle which is stated in Chapter 3.1.1 of the syllabus. d) Is not correct. This is the single responsibility principle. 	TAE-3.1.1	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
10	b	 a) Is not correct. This is defined by the test automation architecture. b) Is correct. User stories are not a part of the technical design of the test automation architecture. c) Is not correct. This is defined by the test automation architecture. d) Is not correct. This is defined by the test automation architecture. 	TAE-3.1.2	K2	1
11	С	 a) Is not correct. Core libraries should be application independent and generic. b) Is not correct. Test scripts should only contain test scripts and no configuration. c) Is not correct. Feature files contain scenarios written in the Gherkin language. d) Is correct. The business logic layer is used to set up the TAF to run against the SUT. 	TAE-3.1.3	K3	2



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
12	С	 a) Is not correct. Keyword-driven testing is too complex for this solution. b) Is not correct. Behavior-driven development is too complex and is not necessary. c) Is correct. Capture/playback test automation is easy to set up. d) Is not correct. Data-driven test automation is too complex and is not necessary. 	TAE-3.1.4	К3	2
13	a	 a) Is correct. The test data is already available and can be reused to increase the test case count. b) Is not correct. Behavior-driven development requires involvement from business representatives, and in this case, there is no specific mention whether the business is involved. c) Is not correct. Capture/playback would be a slow and costly solution, while the test data is already present. d) Is not correct. Acceptance test-driven development needs involvement from all stakeholders, and in this case, there is no specific mention of those stakeholders' involvement. 	TAE-3.1.4	K3	2



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
14	b	 a) Is not correct. Storing the user actions in the page model class files will not allow easy reuse and maintainability of complex user flows. b) Is correct. The flow model pattern combines usage of page models and flow models, storing the structure and logic of the application in class files with different purposes, and is typically used when the SUT's structure changes frequently. c) Is not correct. Facades provide a simplified interface to a larger body of code. d) Is not correct. The singleton design pattern does not solve the problem in this case. 	TAE-3.1.5	K3	2
15	d	 a) Is not correct. i, ii and iii are not valid objectives of the pilot project. b) Is not correct. ii is not a valid objective of the pilot project. c) Is not correct. i and ii are not valid objectives of the pilot project. d) Is correct. iv and v are valid objectives of the pilot project. 	TAE-4.1.1	К3	2



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
16	С	 a) Is not correct. Triggering test execution by the build can be a risk to the CI/CD pipeline integration. b) Is not correct. Test logging detailed information supports easy troubleshooting of failed tests. c) Is correct. 	TAE-4.2.1	K4	3
		d) Is not correct. Risk related to test data cannot be mitigated by using third-party tools.			
17	С	 a) Is not correct. This answer does not improve code maintainability. b) Is not correct. Uniquely naming code variables does not improve code maintainability. c) Is correct. Using static analyzers improves code maintainability. d) Is not correct. Hard coding values does not improve code maintainability. 	TAE-4.3.1	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
18	С	a) Is not correct. Storing the code outside of a configuration management system makes the work harder for the test automation engineers (TAEs). b) Is not correct. Hard coding of any data is not recommended.	TAE-4.3.1	K2	1
		 b) Is not correct. Hard coding of any data is not recommended. c) Is correct. Structuring the code with design patterns can reduce maintenance time. d) Is not correct. Using a configuration management system still requires that rules are followed. 			
19	a, d	 a) Is correct. Regression testing is necessary, and it can be incorporated into the CI/CD pipeline. b) Is not correct. Executing a build is not a test automation task. c) Is not correct. Static code analysis is not a test automation task. d) Is correct. Performance efficiency tests can be automated. e) Is not correct. Packaging and deployment are not test automation tasks. 	TAE-5.1.1	K3	2



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
20	С	 a) Is not correct. Tests are executed during deployment. b) Is not correct. Tests are triggered to execute after successful deployment. c) Is correct. It is not a correct statement since tests do not act as quality gates for deployment. d) Is not correct. Tests in a preproduction environment verify SUT deployment, not SUT functionality. 	TAE-5.1.1	K3	2
21	a	 a) Is correct. Test data and test environment configurations can be under configuration management. b) Is not correct. The SUT configuration can be under configuration management, but it is not related to test automation. c) Is not correct. User rights management is not related to configuration management. d) Is not correct. Configuration management does not support test automation results analysis. 	TAE-5.1.2	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
22	d	 a) Is not correct. URLs are part of the test environment configuration. b) Is not correct. Credentials are part of the test environment configuration. c) Is not correct. Test data is part of the test environment configuration. d) Is correct. The test environment configuration is a part of the common core library, not vice versa. 	TAE-5.1.2	K2	1
23	d	 a) Is not correct. Contract testing is the lightweight form of API testing. b) Is not correct. Contract testing can be used to test communication between microservices. c) Is not correct. Contract testing can validate the compatibility of two separate systems. d) Is correct. Contract testing has no relation to the contractual requirements. 	TAE-5.1.3	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
24	b	 a) Is not correct. Release notes do not help to learn the API connections and details. b) Is correct. We can learn from the API specification about the details of the endpoints and from the system architecture diagram we can learn about the different background dependencies. c) Is not correct. The test strategy and release notes hold no helpful information about the APIs. d) Is not correct. A system architecture diagram is useful to build up the solution, but this answer is missing the API specification, so it is only partially correct. 	TAE-5.1.3	K2	1
25	a, d	 a) Is correct. This can be a reason for the experienced behavior. b) Is not correct. The order of the comparison is not relevant. c) Is not correct. This is a false statement. d) Is correct. See Chapter 6.1.1 of the syllabus. e) Is not correct. Taking screenshots in low resolution cannot be the reason for this behavior 	TAE-6.1.1	КЗ	2



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
26	b	 a) Is not correct. The timestamps can help see when there are problems and if they are connected to a legacy service outage that affects the functionality of the SUT. b) Is correct. The SUT is a web service without any UI. c) Is not correct. The randomly generated values will not be visible for later investigation. d) Is not correct. Focused assertion messages can aid the investigation of the failures. 	TAE-6.1.1	K3	2
27	С	 a) Is not correct. This information cannot be gathered manually. b) Is not correct. This statement tells nothing about the technical details. c) Is correct. An ID must be introduced and populated across the architecture. d) Is not correct. There is no ID in this case, so measured data cannot be linked to individual transactions. 	TAE-6.1.2	K4	3



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
28	d	 a) Is not correct. This is only for one test run. b) Is not correct. This is only for one test run. c) Is not correct. Percentages of test completion are irrelevant. d) Is correct. This is the correct implementation. 	TAE-6.1.3	K2	1
29	а	 a) Is correct. There are several test environments, and a central repository is a must in this case to guarantee version consistency. b) Is not correct. This is not a TAS design consideration. c) Is not correct. A central test environment cannot be used because each tester has a different test environment. d) Is not correct. This option is not relevant. 	TAE-7.1.1	К3	3



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
30	a, c	 a) Is correct. Automated installation and configuration scripts ensure consistency and repeatability during TAS setup. b) Is not correct. The TAS should be designed for portability in multiple test environments. c) Is correct. Repositories can be used to verify consistent TAS versions across all test environments. d) Is not correct. Manual testing is not a scalable solution. 	TAE-7.1.1	К3	3
31	С	 a) Is not correct. The issue should be analyzed closely since the root cause is not yet known. b) Is not correct. This answer does not suggest any solution. c) Is correct. This should be the first task in this case. d) Is not correct. The issue should be analyzed closely since the root cause is not yet known. 	TAE-7.1.2	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
32	С	 a) Is not correct. The goal is to have repeatable tests that give consistent test results. b) Is not correct. Eliminating coverage is not a good response to the situation. c) Is correct. This allows the test suite to continue to be used for repeatable test results while providing time to triage problem test cases. 	TAE-7.1.2	K2	1
		They will be re-added to the test suite once corrected. d) Is not correct. This does not address the random errors that the application is experiencing.			
33	а	 a) Is correct. Log file analysis can identify the root cause of the problem. b) Is not correct. This process will not help solve the original issue. c) Is not correct. These tests do not directly indicate a problem in the SUT; they should be analyzed first. d) Is not correct. The statement is false. 	TAE-7.1.3	K2	1



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
34	d	a) Is not correct. Test logs may not contain credential data present in the automation code.b) Is not correct. It does not make sense to eliminate test cases as it will affect code coverage.	TAE-7.1.4	K2	1
		c) Is not correct. Slower test execution does not necessarily reveal security vulnerabilities.d) Is correct. Static analysis tools support identification of security			
25	al	vulnerabilities.	TAE 0.4.4	1/2	0
35	d	a) Is not correct. Schema validation can be applied in API testing, not GUI testing.b) Is not correct. This is a manual and slow process.	TAE-8.1.1	K3	2
		c) Is not correct. A test histogram enables identification of fragile test cases, but it does not solve the underlying problem.			
		d) Is correct. Using an AI based algorithm supports identification of broken locators and self-healing of the test cases.			



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
36	b	 a) Is not correct. Analyzing test histograms for 1000 test cases will be time consuming. Plus, we can already anticipate the impact on test cases without generating histogram data. b) Is correct. Al algorithms can be used to self-heal the test cases against UI locator value changes, and schema validation tools can be used to quickly assess API schema updates. c) Is not correct. Recreating 75% of the test harness is not feasible when other options are available. d) Is not correct. Although logs, screenshots, and error messages are valid data sources to verify, eliminating test cases is not a viable strategy. 	TAE-8.1.1	К3	2



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
37	a, e	 a) Is correct. Splitting up the test suite helps to ensure that the test execution is finished overnight. b) Is not correct. Test result verification cannot be isolated from the test execution process. c) Is not correct. It is not stated generally that the keyword-driven technique executes faster. d) Is not correct. It would reduce the scope to a high-level regression, which in the long term, could potentially result in defects propagating 	TAE-8.1.2	K4	3
		e) Is correct. Removing duplications can reduce test execution time.			
38	b	 a) Is not correct. The adoption plan needs to occur after impact is determined. b) Is correct. This is the correct order of the activities. c) Is not correct. Updating of dependencies needs to occur after the creation of the adoption plan. d) Is not correct. Determining impact needs to occur after performing a pilot. 	TAE-8.1.2	К3	3



Question Number (#)	Correct Answer	Explanation / Rationale	Learning Objective (LO)	K-Level	Number of Points
39	С	 a) Is not correct. Separating the testing of controls should be implemented within the core libraries. b) Is not correct. It is not a direct improvement. c) Is correct. It is an improvement to consolidate test scripts in this case. d) Is not correct. It is not a direct improvement. 	TAE-8.1.3	K3	3
40	а	 a) Is correct. It offers an automated and quick solution to the problem. b) Is not correct. This is not a TAS. c) Is not correct. Using a production database directly as the source of the test data holds high risk. d) Is not correct. Anonymization of test data is important, but it is out of the scope of this solution. 	TAE-8.1.4	K2	1